

COLOR | BORDERLINE BORDEAUX | LIPSTICK | CC-LIP-022-03 | STICK

Phase	Tradename	INCI (EU)	Supplier	%
A	KahlWax 6607WOA Sunflower	Helianthus Annuus Seed Cera	Kahl	7.80
	KahlWax 8104 White Beeswax	Cera Alba	Kahl	3.60
	KahlWax 2039L Candelilla	Euphorbia Cerifera Cera	Kahl	5.50
	KahlResin 6723 MB Shorea Robusta + Octyldodecanol	Shorea Robusta Resin, Octyldodecanol	Kahl	6.40
	KahlPolymer 7791 PE	Polyethylene	Kahl	5.40
	Eutanol G	Octyldodecanol	BASF	11.50
	Eutanol G16	Hexyldecanol	BASF	ad 100
	Dehymuls PGPH	Polyglyceryl-2 Dipolyhydroxystearate	BASF	1.80
	Cegesoft C24	Ethylhexyl Palmitate	BASF	4.50
	Castor Oil	Ricinus Communis Seed Oil	Henry Lamotte	7.60
SilShine 151	Phenylpropyldimethylsiloxysilicate	Momentive	3.10	
B	Soft-Tex D&C Red 7 Ca Lake C197711	CI 15850	Sun Chemical	4.00
	Soft-Tex D&C Red 6 Ba Lake C197712	CI 15850	Sun Chemical	6.50
	Soft-Tex C33-7734 Black Iron Oxide	CI 77499	Sun Chemical	0.80
	Soft-Tex C47-A7753 Titanium Dioxide	Titanium Dioxide	Sun Chemical	5.00
C	Tocopherol	Tocopherol	--	0.10
	P0632190 Marshmallow Flavour	Aroma	Frey & Lau	0.30

One coat is all you need for exceptional lips with this high coverage formula. The lipstick with semi-matte finish lasts all day thanks to the contained shorea robusta resin.

Procedure

Combine all phase A ingredients at 90-95 °C under stirring. Mix pigments with a small part of phase A and grind by using a mill. Add phase C while stirring, remove entrapped air and cool to 80-85 °C. Fill into molds.

moisturizing long-lasting
 matte glossy