



### Color | Sultry Sangria | lipstick | CC-LIP-006-03 | stick

This very highly pigmented lipstick feels extremely pleasant and smooth even after long hours of wearing. The trendy shade looks amazing on every skin tone.

Phase	Tradename	INCI (EU)	Supplier	%
<b>A</b>				
	8104 Beeswax white	Cera Alba	KahlWax	3.40
	2039L Candelilla Wax	Euphorbia Cerifera Cera	KahlWax	10.00
	6095 Microwax	Cera Microcristallina	KahlWax	2.10
	7853 Microwax	Cera Microcristallina	KahlWax	4.00
	6723 Shorea Robusta Resin + Octyldodecanol	Shorea Robusta Resin, Octyldodecanol	KahlWax	10.00
	Jjoba Oil	Simmondsia Chinensis Seed Oil	Gustav Heess	3.80
	Nexbase 2006	Hydrogenated Polydecene	Nesté Oil	13.10
	Eutanol G16	Hexyldecanol	BASF	13.10
	Cetiol PGL	Hexyldecanol, Hexyldecyl Laurate	BASF	ad 100
	Dehymuls PGPH	Polyglyceryl-2 Dipolyhydroxystearate	BASF	2.20
	Dermofeel MT 70 non GMO	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	Evonik Dr. Straetmans	0.10
<b>B</b>				
	COD 8001	Ricinus Communis Seed Oil, CI 15850	Sun Chemical	5.50
	COD 8005	Ricinus Communis Seed Oil, CI 77492	Sun Chemical	3.70
	COD 8006	Ricinus Communis Seed Oil, CI 77491	Sun Chemical	5.50
	COD 8007	Ricinus Communis Seed Oil, CI 42090	Sun Chemical	0.30
	COD 8008	Ricinus Communis Seed Oil, CI 77891	Sun Chemical	8.15
	COD 8010	Ricinus Communis Seed Oil, CI 15985	Sun Chemical	0.25
<b>C</b>				
	Lemon	Flavor	Düllberg	0.30

#### Procedure

Melt all ingredients of phase A at 90–95 °C. Add phase B ingredients under stirring and homogenize for 30 seconds. Add phase C. Pour at 80 °C.

#### Specification values

Appearance: sangria-colored stick

Stability: passed three months at RT, 40 °C, and 50 °C

moisturizing      long-lasting

matte      glossy