



Hair | Golden Coconut | hair mask | HC-LEN-022-01 | pot

Repair damaged hair in only five minutes with this deep conditioning hair mask. Enriched with nourishing KahlJelly 7038 Coco, this formula coats hair in a thin protective film without weighting them down.

Phase	Tradename	INCI (EU)	Supplier	%
A	Water	Aqua	--	ad 100
A1	Tylose H 200 YG4	Hydroxyethyl Cellulose	SE Tylose	2.00
B	Lanette O	Cetearyl Alcohol	BASF	6.00
	Varisoft EQ 65 MB	Distearoylethyl Dimonium Chloride, Cetearyl Alcohol	Evonik	0.50
	Varisoft BT 85 Pellets	Behentrimonium Chloride	Evonik	2.50
	Varisoft EQ 100	Quaternium-98	Evonik	1.00
	KahlJelly 7038 Coco	Cocos Nucifera Oil, Olea Europaea Fruit Oil, Rhus Verniciflua Peel Cera, Helianthus Annuus Seed Cera	KahlWax	3.00
C	Actio Five Preservative	Parfum	Lothar Streeck	0.30 q.s.

Procedure

Add phase A1 to phase A under stirring. Heat phase A/A1 and B separately to 80–85 °C. Add phase B to A/A1 under stirring and homogenize shortly. Cool to 40 °C under slow stirring. Add phase C and cool further to 35 °C. Homogenize until a thick cream is obtained. Cool to RT without stirring and fill into suitable packaging.

Specification values

Appearance: white cream

pH value: 4.5

Viscosity (Brookfield: RV; speed: 20 rpm; Sp T-C): 38,000 mPas

Stability: passed three months at RT, 40 °C, and 50 °C