



### Skin | Cool coconut gel | moisturizer | SC-FAC-028-01 | tube

This refreshing gel moisturizer soothes irritated skin and reduces redness and inflammation thanks to 6427 Megasoft Complex, cucumber extract, and coconut oil. Mix it with your favorite cream or lotion for enhanced hydration and a lighter texture.

Phase	Tradename	INCI (EU)	Supplier	%
<b>A</b>	Water	Aqua	--	ad 100
<b>A1</b>	Lecigel	Sodium Acrylates Copolymer, Lecithin	Lucas Meyer Cosmetics	0.70
<b>B</b>	Stearic Acid	Stearic Acid	--	1.00
	Lanette 22	Behenyl Alcohol	BASF	1.50
	6427 Megasoft Complex	Crambe Abyssinica Seed Oil, Euphorbia Cerifera Cera, Hydroxystearic Acid, Beta-Sitosterol, Rhus Verniciflua Peel Cera/Rhus Succedanea Fruit Cera, Tocopherol, Helianthus Annuus Seed Oil	KahlWax	3.00
	Coconut Oil (refined)	Cocos Nucifera Oil	Gustav Heess	6.80
<b>C</b>	Arom. Cucumber Extract Blend N36649	Caprylic/Capric Triglyceride, Citrus Aurantium Dulcis Peel Extract, Pyrus Malus Fruit Extract, Prunus Armeniaca Fruit Extract, Citrus Limon Peel Extract, Cucumis Melo Cantalupensis Fruit Extract, Santalum Album Wood Extract, Rose Extract, Vanilla Planifolia Fruit Extract, Cucumis Sativus Fruit Extract, Passiflora Edulis Fruit Extract, Rubus Idaeus Fruit Extract, Cananga Odorata Flower Extract, Coffea Arabica Leaf/Seed Extract, Cocos Nucifera Fruit Extract, Citrus Grandis Peel Extract, Ananas Sativus Fruit Extract	Carruba	2.00
	Aquarich	Glycerin, Water, Avena Strigosa Seed Extract, Lecithin, Potassium Sorbate, Citric Acid	Rahn	1.00
	Unicert Blue 05601-J (0.10 %)	Aqua, CI 42090	Sensient	0.30
	Criste Marine PMF V/50087	Parfum	Vöqele	0.30
	Preservative			q.s.

#### Procedure

Add phase A1 to phase A under stirring and heat to 80–85 °C. Stir until the product is thick and homogeneous. Heat phase B separately to 85 °C and add to phase A/A1. Homogenize for 30 seconds and cool to 40 °C. Add phase C, cool further to RT, and fill into suitable packaging.

#### Specification values

Appearance: pastel blue cream-gel

pH value: 5–6

Viscosity (Brookfield: RV; speed: 20 rpm; Sp T-B): 4,900 mPas

Stability: passed three months at RT, 40 °C, and 50 °C