



## Skin | After shave routine | after shave balm | SC-FAC-031-04 | pump dispenser

This fast absorbing formula soothes the skin and prevents irritation after shaving. KahlWax 2811 adds texture and promotes a dry, non-greasy skin feel, while KahlJelly 7037 nourishes and comforts the skin.

Phase	Tradename	INCI (EU)	Supplier	%
<b>A</b>				
	Water	Aqua	--	ad 100
	Glycerin	Glycerin	Merck	2.00
	Blanova Active D-Panthenol 75	Panthenol, Aqua	Azelis	0.50
	Blanova Active Allantoin EP	Allantoin	Azelis	0.20
<b>A1</b>				
	WorléeAqua Thix 150	Acrylates Copolymer	Worlée	1.50
	NaOH (15 %)	Aqua, Sodium Hydroxide	--	0.40
<b>B</b>				
	Dermofeel GSC	Glyceryl Stearate Citrate	Evonik Dr. Straetmans	0.50
	Cutina GMS V	Glyceryl Stearate	BASF	1.00
	Lanette O	Cetearyl Alcohol	BASF	2.00
	KahlWax 2811 Rice	Oryza Sativa Bran Cera	KahlWax	1.00
	KahlJelly 7037 Berry	Ricinus Communis Seed Oil, Rhus Verniciflua Peel Cera, Tocopherol, Helianthus Annuus Seed Oil	KahlWax	2.00
	Coconut Oil (refined)	Cocos Nucifera Oil	Gustav Heess	7.00
	Grapeseed Oil RBDW	Vitis Vinifera Seed Oil	IMCD	6.00
<b>C</b>				
	Unicert Green K7015-J (0.10 %)	Aqua, CI 61570	Sensient	1.00
	Lunna Rosa FF Masculin	Parfum	Düllberg	0.20
	Ethanol	Ethanol	--	7.00
	Preservative			q.s.

### Procedure

Combine phase A ingredients and stir until a homogeneous solution is obtained. Add phase A1 in listed order. Heat phase A/A1 and B separately to approx. 80 °C. Add phase B to A/A1 while stirring and homogenize. Cool to 35 °C and add phase C. Cool further to RT and fill into suitable packaging.

### Specification values

Appearance: pale green lotion

pH value: 6.9

Viscosity (Brookfield: RV; speed: 20 rpm; Sp T-B): 36,000 mPas

Stability: passed three months at RT, 40 °C, and 50 °C