



Skin | Be my honeybee | lip balm | SC-LIP-001-02 | pot

This soothing lip balm formula moisturizes, nourishes, and protects dry lips. It leaves the skin soft and conditioned thanks to the combination of repairing oils, protecting waxes, and honey.

| Phase | Tradename | INCI (EU) | Supplier | % |
|----------|--|--|--------------|--------|
| A | | | | |
| | 7236 OrganicJelly | Ricinus Communis Seed Oil, Cera Alba, Copernicia Cerifera Cera, Ascorbyl Palmitate, Tocopherol | KahlWax | 20.00 |
| | 6290 Berry Wax | Rhus Verniciflua Peel Cera/Rhus Succedanea Fruit Cera | KahlWax | 5.00 |
| | 8104 Beeswax white | Cera Alba | KahlWax | 4.40 |
| | 2039L Candelilla Wax | Euphorbia Cerifera Cera | KahlWax | 4.00 |
| | 6723 Shorea Robusta Resin + Octyldodecanol | Shorea Robusta Resin, Octyldodecanol | KahlWax | 3.00 |
| | Jojoba Oil | Simmondsia Chinensis Seed Oil | Gustav Heess | ad 100 |
| | Apricot Kernel Oil | Prunus Armeniaca Kernel Oil | Gustav Heess | 10.00 |
| | Dehymuls PGPH | Polyglyceryl-2 Dipolyhydroxystearate | BASF | 10.00 |
| B | | | | |
| | Panthenol | Panthenol | | 0.50 |
| | Water | Aqua | | 8.00 |
| | Honey | Mel | | 15.00 |
| C | | | | |
| | Preservative | | | q.s. |

Procedure

Combine phase A ingredients at 75 °C and phase B ingredients at 60 °C. Add phase B to A and stir with a dissolver for 15 minutes. Homogenize for 1 minute and let the bulk cool to 60 °C. Add phase C and continue cooling to 45 °C. Fill into suitable packaging.

Specification values

Appearance:

pH value:

Stability: passed three months at RT, 40 °C, and 50 °C