

PROTOTYPE  
AVAILABLE



**Color | Kick-off power | under-eye concealer | CC-FAC-024-02 | tube**

This sweat-proof and natural concealer hides dark under-eye circles and camouflages all traces of a busy lifestyle. The film-forming 6723 Shorea Robusta Resin helps to keep a bright and hydrated appearance.

Phase	Tradename	INCI (EU)	Supplier	%
<b>A</b>	Water	Aqua	--	ad 100
	Dermofeel PA-3	Sodium Phytate, Aqua, Alcohol	Evonik Dr. Straetmans	0.10
	Dermofeel 1388 eco	Glycerin, Aqua, Sodium Levulinate, Sodium Anisate	Evonik Dr. Straetmans	3.20
<b>A1</b>	6655 KahlGum TQT80	Xanthan Gum	KahlWax	0.40
<b>A2</b>	Covarine White WN 9787	CI 77891, Aqua, Glycerin, Xanthan Gum, Sodium Citrate	Sensient	16.50
	Covarine Yellow WN 1798	CI 77492, Aqua, Glycerin, Xanthan Gum, Sodium Citrate	Sensient	1.80
	Covarine Red WN 3798	CI 77491, Aqua, Glycerin, Xanthan Gum, Sodium Citrate	Sensient	0.50
	Covarine Black WN 9798	CI 77499, Aqua, Glycerin, Xanthan Gum, Sodium Citrate	Sensient	0.15
<b>B</b>	Symbiomuls rich	Polyglyceryl-3 Stearate, Behenyl Alcohol, Glyceryl Stearate Citrate, Helianthus Annuus Seed Cera, Glyceryl Caprate, Tocopherol, Ascorbyl Palmitate, Helianthus Annuus Seed Oil	Evonik Dr. Straetmans	4.00
	Lanette O	Cetearyl Alcohol	BASF	3.30
	6723 Shorea Robusta Resin + Octyldodecanol	Shorea Robusta Resin, Octyldodecanol	KahlWax	5.00
<b>C</b>	Apricot Kernel Oil	Prunus Armeniaca Kernel Oil	Henry Lamotte	15.50
	Monoi NaTrue	Parfum	Vögele	0.30

**Procedure**

Combine phase A ingredients and disperse phase A1. Add phase A2 and heat phase A/A1/A2 and B separately to 80–85 °C. Add phase B to A/A1/A2 while stirring and homogenize for 1 minute. Cool to 40 °C under medium stirring. Add phase C, cool to RT, and fill into suitable packaging.



**Specification values**

Appearance: beige cream  
 pH value: 6–6.5  
 Viscosity (Brookfield: RV; speed: 20 rpm; Sp T-D): 82,500 mPas  
 Stability: passed three months at RT, 40 °C, and 50 °C