



### Color | Rosy kisses | lipstick | CC-LIP-009-04 | stick

This highly pigmented lipstick has a satin finish with discreet shine. The bright pink rose colored formula with rose wax offers long-lasting elegance.

Phase	Tradename	INCI (EU)	Supplier	%	
<b>A</b>	KahlWax 6692 Rose	Rosa Damascena Flower Cera	KahlWax	2.00	
	KahlWax 7304 CL Substitute	Paraffin, Copernicia Cerifera Cera, Glycol Montanate, Shorea Robusta Resin	KahlWax	10.00	
	KahlWax 6095 Micro	Cera Microcristallina	KahlWax	3.50	
	KahlWax 7853 Micro	Cera Microcristallina	KahlWax	4.00	
	KahlResin 5723 MB Araucaria + Octyldodecanol	Glyceryl Rosinate, Octyldodecanol	KahlWax	9.00	
	Jojoba Oil (refined)	Simmondsia Chinesis Seed Oil	Gustav Heess	3.90	
	Nexbase 2006	Hydrogenated Polydecene	Nesté Oil	13.10	
	Eutanol G	Octyldodecanol	BASF	ad 100	
	Cetiol PGL	Hexyldecanol, Hexyldecyl Laurate	BASF	13.50	
	Dehymuls PGPH	Polyglyceryl-2 Dipolyhydroxystearate	BASF	2.20	
	Dermofeel MT 70 non GMO	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	Evonik Dr. Straetmans	0.10	
	<b>B</b>	Black FE Oxide Castor Oil Disp COD 8004	Ricinus Communis Seed Oil, CI 77499	Sun Chemical	0.60
		D&C Red 7 Castor Oil Disp COD 8001	Ricinus Communis Seed Oil, CI 15850	Sun Chemical	5.00
White Castor Oil Disp COD 8008		Ricinus Communis Seed Oil, CI 77891	Sun Chemical	14.70	
FD&C Yellow 6 Castor Oil Disp COD 8010		Ricinus Communis Seed Oil, CI 15985	Sun Chemical	2.40	

#### Procedure

Melt all ingredients of phase A at 90–95 °C. Add phase B ingredients under stirring and homogenize for 30 seconds. Pour into molds at 80–85 °C.

#### Specification values

Appearance: intense pink stick

Stability: passed three months at RT, 40 °C, and 50 °C

moisturizing      long-lasting

matte      glossy