



Color | Peacockish peach | softening lipstick | CC-LIP-023-07 | stick

This wonderfully smooth lipstick glides on comfortably thanks to the contained KahlWax 6698 Orange. The lightweight formula delivers a burst of creamy color and all-day moisture in a luxurious satin-soft finish.

Phase	Tradename	INCI (EU)	Supplier	%
A	KahlWax 8104 White Beeswax	Cera Alba	KahlWax	7.00
	KahlWax 2442L Carnauba	Copernicia Cerifera Cera	KahlWax	7.00
	KahlWax 2039L Candelilla	Euphorbia Cerifera Cera	KahlWax	3.00
	KahlWax 6607L MB Sunflower	Helianthus Annuus Seed Cera, Ascorbyl Palmitate, Tocopherol, Helianthus Annuus Seed Oil	KahlWax	2.00
	KahlWax 6698 Orange	Citrus Aurantium Dulcis Peel Cera, Rhus Verniciflua Peel Cera	KahlWax	3.00
	Jojoba Oil (refined)	Simmondsia Chinesis Seed Oil	Gustav Heess	ad 100
	Castor Oil (refined)	Ricinus Communis Seed Oil	Gustav Heess	14.00
	Meadowfoam Seed Oil	Limnanthes Alba Seed Oil	Natural Plant Products	10.00
B	FD&C Red 6 Ba LK CO Disp COD 8002	Ricinus Communis Seed Oil, CI 15850	Sun Chemical	1.00
	Red FE Oxide Castor Oil Disp COD 8006	Ricinus Communis Seed Oil, CI 77491	Sun Chemical	1.50
	White Castor Oil Disp COD 8008	Ricinus Communis Seed Oil, CI 77891	Sun Chemical	5.00
	FD&C Yellow 6 Castor Oil Disp COD 8010	Ricinus Communis Seed Oil, CI 15985	Sun Chemical	0.50
C	SunShine C80-3201 Super White	Synthetic Fluorphlogopite, Titanium Dioxide	Sun Chemical	1.50
	SynCrystal Ivory	Synthetic Fluorphlogopite, Titanium Dioxide, Iron Oxides, Tin Oxide	Eckart	3.00

Procedure

Combine phase A ingredients and heat to 95 °C under stirring. Add phase B ingredients and stir for approx. 15 minutes with a dissolver. Homogenize for 30 seconds and add phase C under stirring. Cool to 85 °C and fill into suitable packaging.

Specification values

Appearance: pearly, rosé colored stick

Stability: passed three months at RT, 40 °C, and 50 °C

moisturizing long-lasting

matte glossy