



**Color | Sinister Cinnamon | super glossy, volumizing sheer lipstick | CC-LIP-026-06 | stick**

This innovative formula will make lips visibly moisturized and softer, topped off with a gorgeous opalescence-shine and sheer cinnamon color. It also protects the lips, helping to increase hydration levels, so lips appear to be soft, supple, and more voluminous.

Phase	Tradename	INCI (EU)	Supplier	%
<b>A</b>	KahlResin 5725 MB Araucaria + Castor Oil	Glyceryl Rosinate, Ricinus Communis Seed Oil, Ascorbyl Palmitate, Tocopherol, Helianthus Annuus Seed Oil	KahlWax	32.90
	KahlJelly 7036PLUS MB Vego	Ricinus Communis Seed Oil, Rhus Verniciflua Peel Cera, Ascorbyl Palmitate, Tocopherol, Helianthus Annuus Seed Oil	KahlWax	12.80
	KahlWax 6607L MB Sunflower	Helianthus Annuus Seed Cera, Ascorbyl Palmitate, Tocopherol, Helianthus Annuus Seed Oil	KahlWax	7.30
	KahlWax 6240 Vegetable	Hydrogenated Vegetable Oil	KahlWax	3.00
	Castor Oil (refined)	Ricinus Communis Seed Oil	Gustav Heess	ad 100
	Jojoba Oil (refined)	Simmondsia Chinesis Seed Oil	Gustav Heess	5.00
	Softigen Oil Baobab	Adansonia Digitata Seed Oil	IOI Oleo	2.50
<b>B</b>	D&C Red 7 Castor Oil Disp COD 8001	Ricinus Communis Seed Oil, CI 15850	Sun Chemical	0.60
	Red FE Oxide Castor Oil Disp COD 8006	Ricinus Communis Seed Oil, CI 77491	Sun Chemical	2.40
	FD&C Blue Castor Oil Disp COD 8007	Ricinus Communis Seed Oil, CI 42090	Sun Chemical	0.20
	White Castor Oil Disp COD 8008	Ricinus Communis Seed Oil, CI 77891	Sun Chemical	2.60
<b>C</b>	RonaFlair Mica M	Mica	Merck	3.00
	RonaFlair LDP White	Sodium Potassium Aluminum Silicate, Titanium Dioxide, Silica	Merck	3.00
<b>D</b>	Dermofeel MT 70 non GMO	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	Evonik Dr. Straetmans	0.20

**Procedure**

Heat phase A ingredients to 90–95 °C and stir until everything is melted. Add phase B and stir for 5–10 minutes. Homogenize for 1–2 minutes and add phase C ingredients under stirring. Add phase D, cool to 80 °C, and fill into molds.

**Specification values**

Appearance: cinnamon-colored, glossy stick  
Stability: passed three months at RT, 40 °C, and 50 °C

moisturizing      long-lasting  
matte      glossy