

PROTOTYPE
AVAILABLE



Skin | Nourishing rice pudding | body peeling | SC-BOD-049-02 | pot

With a unique texture and a very rich and creamy skin feel, this extravagant body peeling offers an indulging shower experience. Formulated with gently exfoliating 2811P Rice Bran Wax Beads and nourishing 6427 Megasoft Complex it is both lush and highly effective.

Phase	Tradename	INCI (EU)	Supplier	%
A	Water	Aqua	--	ad 100
	Glycerin	Glycerin	Merck	2.60
	Euxyl K 350	Phenoxyethanol, Methylparaben, Ethylparaben, Ethylhexylglycerin, Propylene Glycol	Schülke & Mayr	1.00
	Carbopol Aqua SF-1 Polymer	Acrylates Copolymer	Lubrizol	1.40
A1	NaOH (30 %)	Aqua, Sodium Hydroxide	--	0.40
B	Arlacel 165	Glyceryl Stearate, PEG-100 Stearate	Croda	3.70
	Lanette O	Cetearyl Alcohol	BASF	2.70
	Avocado Oil	Persea Gratissima Oil	Gustav Heess	4.60
	6427 Megasoft Complex	Crambe Abyssinica Seed Oil, Euphorbia Cerifera Cera, Hydroxystearic Acid, Beta-Sitosterol, Rhus Verniciflua Peel Cera/Rhus Succedanea Fruit Cera, Tocopherol, Helianthus Annuus Seed Oil	KahlWax	3.00
	6692 Rose Wax	Rosa Damascena Flower Cera	KahlWax	1.80
	6237 Rapeseed Wax	Hydrogenated Rapeseed Oil	KahlWax	18.30
C	Glycerin	Glycerin	Merck	1.80
	Aqua Keep 10SH-NFC	Sodium Acrylates Crosspolymer-2	Sumitomo Seika	0.20
D	2811P Rice Bran Wax Beads	Oryza Sativa Bran Cera	KahlWax	9.20
E	Oat Milk PCMF KVON	Parfum	Düllberg	0.20

Procedure

Blend phase A ingredients and neutralize with phase A1. Heat phase A/A1 to 80–85 °C and stir until it is homogeneous. Combine phase B ingredients and heat to 80–85 °C. Add phase B to A/A1 under agitation. Continue mixing at 80 °C for 3–5 minutes. Cool to 50 °C and add phase C. Add phase D and E below 40 °C and fill into suitable packaging.

Specification values

Appearance: white mousse
 pH value: 6–6.5
 Viscosity (Brookfield: RV; speed: 20 rpm; Sp T-E): 146,300 mPas
 Stability: passed three months at RT, 40 °C, and 50 °C